



ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. 3M™ FLOOR PADS

3M

3100 Burnish Pads

For use on softer finishes. Produces a brilliant gloss. Exceptional durability and life. The problem solver for soft finishes.

519087	04801108753	20", Aqua	5/cs.
--------	-------------	-----------	-------

520423	04801120264	27", Aqua	5/cs.
--------	-------------	-----------	-------

3200 Topline Speed Burnish Pads

Restore gloss to dull floors in a single pass. Optimizes ultra high speed floor care on a wide variety of floor finishes. Minimal finish removal. For ultra high speed machines (1500 RPM and above).

520416	04801118066	20", Beige	5/cs.
--------	-------------	------------	-------

519749	04801118069	24", Beige	5/cs.
--------	-------------	------------	-------

041539	04801120259	27", Beige	5/cs.
--------	-------------	------------	-------

3300 Natural Blend Pads

Natural hair and synthetic fiber pad for best gloss. Provides excellent results on a wide variety of floor finishes and traffic conditions.

519663	04801118210	20", White	5/cs.
--------	-------------	------------	-------

519747	04801118213	24", White	5/cs.
--------	-------------	------------	-------

041540	04801120326	27", White	5/cs.
--------	-------------	------------	-------

3400 Burnish Pads

For use on harder finishes or in high traffic areas. Produces brilliant wet looking gloss. Exceptional durability and life. Best for mark removal.

041661	04801105603	13", Tan	5/cs.
--------	-------------	----------	-------

519726	04801105606	20", Tan	5/cs.
--------	-------------	----------	-------

3500 Natural Blend Pads

Natural hair and synthetic fiber pad. For use on harder finishes or in high traffic areas. Removes marks and scratches while it polishes. Best for mark removal.

For use with ultra high speed machines.

519090	04801119008	20", Tan	5/cs.
--------	-------------	----------	-------

519745	04801119012	24", Tan	5/cs.
--------	-------------	----------	-------

3600 Eraser™ Burnish Pads

Removes black marks in fewer passes than other pads and retains excellent gloss and image clarity. Excellent durability and minimal finish removal. For use with ultra high speed machines 1500-3000 RPM.

519660	04801125857	19", Pink	5/cs.
--------	-------------	-----------	-------

520420	04801125858	20", Pink	5/cs.
--------	-------------	-----------	-------

520424	04801125863	27", Pink	5/cs.
--------	-------------	-----------	-------

4100 Super Polish Pads

For buffing very soft finishes or for polishing soft waxes on wood floors. Removes scuffs and black heel marks and enhances floor appearance. For use on low speed (175-600 RPM) rotary equipment.

518506	04801108477	13", White	5/cs.
--------	-------------	------------	-------

518566	04801108478	14", White	5/cs.
--------	-------------	------------	-------

518610	04801108481	17", White	5/cs.
--------	-------------	------------	-------

519009	04801108483	19", White	5/cs.
--------	-------------	------------	-------

519106	04801108484	20", White	5/cs.
--------	-------------	------------	-------

519741	04801108488	24", White	5/cs.
--------	-------------	------------	-------

519094	04801120313	27", White	5/cs.
--------	-------------	------------	-------

5000 Topline Pre-Burnish Pads

For light scrubbing of floors prior to burnishing. Excellent daily cleaning pad, minimal finish removal. Open construction resists clogging and allows for easy cleaning. Use on automatic floor machines. Best choice if followed by burnishing.

041578	04801118046	14", Green	5/cs.
--------	-------------	------------	-------

041928	04801118047	15", Green	5/cs.
--------	-------------	------------	-------

519729	04801118052	20", Green	5/cs.
--------	-------------	------------	-------

ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. 3M™ FLOOR PADS (CONT.)

3M

5100 Buffer Pads

Specially designed for spray buffing. Cleans when damp; buffs when dry. Quickly cleans and removes scuff marks and enhances floor appearance. For use on low speed (175-600 RPM) rotary or automatic equipment. For light duty cleaning.

518563	04801108388	13", Red	5/cs.
518569	04801108389	14", Red	5/cs.
518595	04801108391	16", Red	5/cs.
518902	04801108392	17", Red	5/cs.
519062	04801108394	19", Red	5/cs.
519652	04801108395	20", Red	5/cs.

5300 Cleaner Pads

For heavy-duty scrubbing prior to recoating. Removes dirt, spills and scuffs, leaving a clean surface ready for recoating. Use on rotary and automatic low speed (175-600 RPM) floor machines. Can be used for heavy-duty spray cleaning or foam scrubbing.

039539	04801108406	13", Blue	5/cs.
041538	04801108407	14", Blue	5/cs.
041929	04801108408	15", Blue	5/cs.
518571	04801108409	16", Blue	5/cs.
518612	04801108410	17", Blue	5/cs.
519026	04801108412	19", Blue	5/cs.
519126	04801108413	20", Blue	5/cs.

7200 Stripping Pads

The industry standard stripping pad. Maintains consistent high performance throughout the life of the pad. For use on rotary or automatic low speed (175-350 RPM) floor machines.

518536	04801108375	13", Black	5/cs.
040675	04801108376	14", Black	5/cs.
518583	04801108378	16", Black	5/cs.
518704	04801108379	17", Black	5/cs.
518940	04801108380	18", Black	5/cs.
519043	04801108381	19", Black	5/cs.
519256	04801108382	20", Black	5/cs.

7300 High Productivity Stripping Pads

Quickly and thoroughly removes old finish, dirt and buildup. Unique, open web construction-stripping solution flows through pad to rinse out dirt and reduce loading for increased pad-to-floor contact, more efficient stripping. For use on rotary or automatic low speed (175-600 RPM) floor machines.

041369	04801108275	17", Black	5/cs.
520430	04801108277	19", Black	5/cs.
520438	04801108278	20", Black	5/cs.

Niagara™ 5400N Scrubbing Pads

For heavy-duty scrubbing prior to recoating. Removes dirt, spills and scuffs leaving a clean surface ready for recoating.

519640	04801135026	13", Green	5/cs.
519648	04801135033	20", Green	5/cs.

B. BLUE ICE UHS BURNISHING PADS

GLIT, INC.

A super soft pad for dry burnishing. Recommended for use on machines operating at 1000-3000+ RPM. Use where burnishing is required on a frequent basis for more time between re-coatings.


047207	29754	20", Blue	5/cs.
041286	29757	27", Blue	2/cs.


C. BUCKAROO™ ULTRA HIGH SPEED BURNISHING PADS

GLIT, INC.

A natural hair pad that excels in bringing out the luster on softer, buffable floor finishes. Recommended for use on machines operating at 1000-3000+ RPM.

043135	20363	19", Natural Hogs Hair	5/cs.
042355	20364	20", Natural Hogs Hair	5/cs.
519735	20365	21", Natural Hogs Hair	5/cs.





ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. JACKEROO LITE™ ULTRA HIGH SPEED BURNISHING PADS GLIT, INC.

A natural hair pad that excels in bringing out the luster on softer, buffable floor finishes. Recommended for use on machines operating at 1000-3000+ RPM.

043137	20441	19", Natural Hogs Hair	5/cs.
--------	-------	------------------------	-------

A correct blend of natural hair and synthetic fibers. Longer lasting with the lubricating effect of a hair pad. Use with machine speeds of 1000 to 3000+RPM.

047269	20402	19", Natural Hogs Hair	5/cs.
--------	-------	------------------------	-------

047237	20403	20", Natural Hogs Hair	5/cs.
--------	-------	------------------------	-------

042688	23625	27", Natural Hogs Hair	2/cs.
--------	-------	------------------------	-------

B. CONVENTIONAL THICKLINE FLOOR PADS GLIT, INC.

Cleaning pads

For wet, medium duty scrubbing. Recommended for use on machines operating at 175-300 RPM.

046445	20202	13", Blue	5/cs.
--------	-------	-----------	-------

041298	20206	17", Blue	5/cs.
--------	-------	-----------	-------

042547	20209	20", Blue	5/cs.
--------	-------	-----------	-------

Spray Buffing Pads

For dry buffing, spray buffing or light duty scrubbing. Recommended for use on machines operating at 175-300 RPM.

048177	20045	12", Red	5/cs.
--------	-------	----------	-------

046447	20046	13", Red	5/cs.
--------	-------	----------	-------

047191	20047	14", Red	5/cs.
--------	-------	----------	-------

046255	20050	17", Red	5/cs.
--------	-------	----------	-------

047247	20052	19", Red	5/cs.
--------	-------	----------	-------

042351	20053	20", Red	5/cs.
--------	-------	----------	-------

041848	20054	21", Red	5/cs.
--------	-------	----------	-------

041852	20057	24", Red	5/cs.
--------	-------	----------	-------

Stripping Pads

For long lasting, heavy duty stripping. Recommended for use on machines operating at 175-350 RPM.

046769	20007	13", Black	5/cs.
--------	-------	------------	-------

046407	20011	17", Black	5/cs.
--------	-------	------------	-------

047249	20013	19", Black	5/cs.
--------	-------	------------	-------

042349	20014	20", Black	5/cs.
--------	-------	------------	-------

041846	20015	21", Black	5/cs.
--------	-------	------------	-------

D. GLIT® ULTRA HIGH SPEED BURNISHING PADS GLIT, INC.

Moderately soft burnishing pad for use on softer finishes. Use with machine speeds of 1000 to 3000+RPM.

048487	20285	19", Beige	5/cs.
--------	-------	------------	-------

042549	20286	20", Beige	5/cs.
--------	-------	------------	-------

Soft-textured pad for dry burnishing and buffing for a high gloss. Use with machine speeds of 1000 to 3000+RPM.

047199	20325	20", Champagne	5/cs.
--------	-------	----------------	-------

A superior soft pad that lightly polishes the floor for a reflective appearance.

Recommended for use on machines operating at 1000-3000+ RPM.

046771	13520	20", Aqua	5/cs.
--------	-------	-----------	-------

046773	13527	27", Aqua	2/cs.
--------	-------	-----------	-------

E. EMERALD FLOOR PADS GLIT, INC.

Emerald High Performance Stripping Pads

Highly aggressive for the most difficult stripping jobs. For use on floor machines operating at 175 to 350 RPM.

041302	43217	17", Emerald Green	5/cs.
--------	-------	--------------------	-------

047205	43220	20", Emerald Green	5/cs.
--------	-------	--------------------	-------

ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. CONVENTIONAL THICKLINE POLISH PADS

GLIT, INC.

Produces a high gloss, wet look at speeds of 175-1200 RPM. For dry polishing or with water mist to ensure a high gloss.

048181	14412	12", White	5/cs.
047009	14413	13", White	5/cs.
047193	14414	14", White	5/cs.
046441	14417	17", White	5/cs.
048047	14418	18", White	5/cs.
047267	14419	19", White	5/cs.
042353	14420	20", White	5/cs.
048369	14421	21", White	5/cs.
041853	14424	24", White	5/cs.



B. SPIN KLEAN® P-4 BONNETS W/SCRUB STRIPS

RUBBERMAID

Low-profile bonnet with green scrub strips adds additional scrubbing action for improved cleaning performance. Use with a standard rotary floor machine for intensive carpet maintenance.

519691	P267	17", White	5/cs.
519695	P269	19", White	5/cs.
519699	P271	21", White	5/cs.



C. FLOOR PAD

CLARKE

For Focus Boost automatics. For routine scrubbing.

775197	997020	14" x 20", Red	5/cs.
--------	--------	----------------	-------

D. SURFACE PREP PADS

CLARKE

Surface prep pads for deep scrubbing.

775193	997024	14" x 20", Maroon	10/cs.
775198	997018	14" x 28", Maroon	10/cs.
775202	997019	14" x 32", Maroon	10/cs.

E. VELCRO

CLARKE

Holds maroon surface prep pads to backer pads.

775195	30793A	14" x 20"	1/ea.
--------	--------	-----------	-------

F. LIGHTNING™ 1500 BURNISHER

WINDSOR INDUSTRIES

Easy to use fully adjustable handle height system. Large 5" non-marking wheels for easy transport. Mechanical safety interlock to prevent accidental start-ups.

Build in circuit breaker to protect motor. Rugged cast aluminum base and switch housing with non-marking bumper to protect the machine and facility. Totally enclosed motor provides protection against dirt and debris, resulting in low maintenance.

775764	10090160	20" Pad, 21½" x 48" x 31", 1500 rpm	1/ea.
--------	----------	-------------------------------------	-------



G. ULTRA SPEED® BURNISHER

CLARKE

Indestructible Polydur® mainframe. Self regulating pad pressure. Powerful 1½ hp DC permanent magnet motor. Floating handle latches over for compact storage. Super flex power cable with hospital grade plug. Three position handle: locks upright, locks folded over motor, floats in operation. 50' Super Flex power cable with hospital grade plug. 70dBa sound level.

775476	01530A	20" Pad, 24" x 16" x 42⅓", 1500 rpm, 120V, 50-60 Hz	1/ea.
--------	--------	---	-------



FLOOR CARE • Buffers/Polishers, Scrubbers



ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. STORM SERIES FLOOR BUFFER WINDSOR INDUSTRIES

Easy to use fully adjustable handle height system with easy cord release. Large 5" non-marking wheels for easy transport. Mechanical safety interlock to prevent accidental start-ups. Built in circuit breaker to protect motor. Rugged cast aluminum base and switch housing with non-marking bumper to protect the machine and facility. Heavy-duty steel triple planetary gearbox for smoother operation and longer life. High torque, 66 frame induction motor for trouble free operation. Dual capacitor for high efficiency operation. High mounted handle lock/height adjustment. Heavy-duty construction, non-marking PVC bumper. Dual main switch levers. Thumb activated safety interlock.

775752	10090320	20", 175 RPM	1/ea.
--------	----------	--------------	-------



B. CFP™ 2000 FLOOR POLISHER CLARKE

Triple planetary gear box. Rugged chrome plated steel brush housing and motor cover. Durable die cast aluminum main frame. Fully surrounding, non-marking bumper wraps under brush housing to protect floor. Easy release handle clamp. Quick release cord wrap. 5" non-marking wheels with wide stance for transport stability. 50' safety yellow, Super Flex power cord with hospital grade plug. Rugged 1½" chrome plated steel handle tube. Safety interlock prevents accidental starts. Clarke FM style handle, die cast aluminum with molded rubber hand grips. ETL certification. Clarke Green Certified Equipment. Five year parts and labor.

775422	01400A	20" Brush dia., 175 rpm, 120V, 1½ hp	1/ea.
--------	--------	--------------------------------------	-------



APTgreen

C. CHARIOT® iSCRUB AUTOSCRUBBER WINDSOR INDUSTRIES

Chariot®'s control panel is intuitively organized and easy to operate while steering. Fast and easy access to batteries and other components. Cleaning times are significantly reduced because maintenance time is minimized. The Chariot® easily fits into busy environments without disrupting work flow. An ultra-light turning radius enables Chariot® to run around in 5' aisles with room to spare. Chariot's innovative step-up design combines the handling and maneuverability of a walk-behind with the speed of a ride-on. The Chariot® allows for quick and easy battery changes.

775789	10060630	24" Scrub Path	1/ea.
--------	----------	----------------	-------



APTgreen

D. FOCUS® II BOOST® L20 AUTOSCRUBBER CLARKE

Focus® II with Clarke's revolutionary Boost® technology. If you demand high levels of cleaning with the ultimate in green benefits, Boost® technology offers 70% reduction in water and chemicals, 40% increase in pad life, 25% increase in battery runtime and the added benefit of saving 50% in labor time compared to traditional disc models. No other manufacturer comes close to matching Clarke's combination of serious cleaning ability and green benefits in autoscrubbers. Feature other important benefits such as low noise levels, improved user ergonomics, on-board chargers, breakaway squeegees and more. Green Certified Equipment by Clarke. 14½ gal. solution and recovery tank. 1/2 hp, 2-stage. 65.8 dbA

775190	05361A	20" Path, 130 AH Wet Batteries	1/ea.
--------	--------	--------------------------------	-------



E. MOTORSCRUBBER™ READING CONSUMER PROD.

A powerful, lightweight compact unit designed to be used safely with soap and water to quickly and effortlessly scrub hard to reach areas. Battery powered by a rechargeable 12V, 500 RPM motor, so users will not get shocked since no electricity is used. Twist-lock handle telescopes to any height you desire between 56" and 8½'. 70° pivoting scrub head follows the contours of whatever you may be cleaning. Interchangeable scrubbing heads.

773727	MS1000	Up to 8½' Long, 8" Head	1/ea.
--------	--------	-------------------------	-------

Motor Scrubber Brushes

Provides heavy-duty scrubbing for the removal of hard to reach dirt. Applications include grout, stairwells, tile, cement.

773733	MS1039	Aggressive Duty Brush	1/ea.
773730	MS1048	Baseboard Brush	1/ea.

ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. CHARIOT® iEXTRACT CARPET EXTRACTOR WINDSOR INDUSTRIES

The Chariot® iExtract has a large and durable 25 gallon solution and recovery system that is easy to fill and empty. Unique 800 rpm brush agitation and sweeping system with counter-rotating brushes, 1.2 gpm solution flow, and a removable debris bin. Large, stainless steel strainer prevents debris from entering pump. Easy to inspect and service without tools. Two 14" vacuum shoes provide maximum power.

775744	10060010	3-12 Volt, 195 Amp	1/ea.
--------	----------	--------------------	-------

B. CLIPPER DUO EXTRACTOR WINDSOR INDUSTRIES

With the Interim method using the iCapsol Encapsulating Chemical, the carpet is dry and ready for traffic in about 20 minutes. iCapsol Interim cleaning process extends the time before re-soiling occurs and reduces wicking. The deep restorative mode is activated by the simple change of a dial regulating the required detergent and water for deep down, fully restorative cleaning. No component changes required. Dual 16" counter-rotating brushes agitate and permeate the cleaners into both sides of the carpet nap for even, thorough cleaning. Powerful vacuum system extracts soil and solution fast and efficiently in the deep restorative mode; vacuum shoe is equipped with a glide strip to reduce surface friction. Floating brush system provides consistent brush contact with uneven surfaces. Soft grip Flip-N-Go handle allows operation in a walk-behind or pull-back mode. Built in on-board spray bottle holder provides an easy way to apply solution to heavily soiled spots. Efficiently designed for maximum maneuverability.

775718	10080480	10 gal., 24"	1/ea.
--------	----------	--------------	-------

C. MINI PRO EXTRACTOR WINDSOR INDUSTRIES

Productively clean and freshen up carpet surfaces with less effort. 4 gal. solution and recovery tank for home or commercial cleaning. Solution tank designed with no-mess splash back protection and protective filter screen to remove debris. Designed for minimal service. Comfort grip, adjustable handle with one-button activation and ergonomically positioned handle for balanced lifting. Fold-down handle for easy transportation in any vehicle. Optional hose and hand tool to clean upholstery, stairs, autos, motor homes, boats and other small areas. Quiet, lightweight, easy to use. Vac shoe with wrap around soft-sided bumper for surface protection. Large 10" non-marking wheels for easy transport and maneuverability. High performance vacuum motor for faster drying time. On-board holder for spotter/pre-spray bottle.

775682	10080390	4 gal., 10"	1/ea.
--------	----------	-------------	-------

D. PRESTO™ 3 MINI EXTRACTOR & CARPET SPOTTER WINDSOR INDUSTRIES

Conventional 2 gal. capacity and well-balanced design provide quick and easy cleaning of carpet spots/stains. 1.16 hp (870 watt) vacuum motor and 55 psi (3.79 bar) pump provide more aggressive cleaning and drying power. Clear view hand tool shows cleaning results. Presto™ accommodates a variety of accessory tools to simplify small area and upholstery cleaning. Translucent recovery tank enables user to monitor recovery water level. Double Dry™ hand tool uses an enclosed jet spray to prevent over spray and dual vacuum ports for bi-directional cleaning and superior water recovery. Features a built-in brush for more aggressive cleaning.

775724	10030020	2 gal.	1/ea.
--------	----------	--------	-------

E. ICAPSOL MINI INTERIM CARPET CLEANING SYSTEM WINDSOR INDUSTRIES

Leaves carpet only slightly damp so that it is dry and ready for traffic in about 20 minutes. Unique brush system features two counter-rotating cylindrical brushes to effectively clean and agitate both sides of the carpet nap.

775691	10066060	17" Path	1/ea.
--------	----------	----------	-------



FLOOR CARE • Extractors, Wet/Dry Vacuums, Dryers



ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. CLEAN TRACK™ 16 CARPET EXTRACTOR CLARKE

Large capacities, small package. Patented ergonomic design. Very quiet; low sound level. Drains into toilet. Dual functionality with hard floor option. 98 cfm. 123 water lift. 1/3 hp brush motor. 50' fixed cord. (2) 10" wheels. 60 psi pump.

775205	56266000	44 1/2" L x 19 1/2" W x 37" H, 8 gal. Solution	1/ea.
--------	----------	--	-------



B. TITAN™ WET/DRY VACUUM & SQUEEGEE KIT WINDSOR INDUSTRIES

Titan™ vacuums combine power and durability for productive wet or dry pick-up. Features a powerful 2-stage, 1.5 hp vacuum motor and rugged construction to provide years of dependable operation. Titan™ offers the added convenience of an optional squeegee attachment for faster large area wet pick-up. Every Titan™ wet/dry vacuum comes standard with an eight-piece tool kit to increase cleaning versatility. Vacuum motor: 2-stage, 1.5 hp, 1119 Watts. Suction power: 87" waterlift. Airflow: 101 CFM. 27' power cable. 67 dBA

775654	T716	16 gal.	1/ea.
--------	------	---------	-------

Squeegee Kit

Squeegee kit for Titan™ wet dry vacuum.

775662	86164030	31" Front Mount	1/ea.
--------	----------	-----------------	-------



C. SUMMIT® 20SQ WET/DRY TANK VACUUM CLARKE

Full accessory tool kit and on board storage. Easy tip and pour action. Adjustable handle for easy storage and use. Large non-marking wheels and rigid carriage with handy drain hose make transport and disposal of waste easy work. Large latches and lift handles give a good grip for ergonomic use and easy removal of the motor top for access to the float filter. The squeegee easily mounts in place with no tools required. The 30" squeegee is front mount foot activated. 84 cfm. 82" waterlift. 1350W/1.8 hp two stage vac motor. 50' power cord. 64 dBA. Two year parts and labor.

775184	02186A	20 gal., 25" L x 23 1/2" W x 39 1/2" H, 120V, 50-60 Hz	1/ea.
--------	--------	--	-------



D. WINDHANDLER™ 3 WINDSOR INDUSTRIES

Three speed versatility and power reduces carpet drying times by up to 50%. Includes upright handle and transport wheels. Maximum air movement of 3,000 cfm for rapid drying of carpet and hard floors.

10040150	22 5/8" L x 16" W x 21 1/2" H	1/ea.
----------	-------------------------------	-------



E. DIRECTAIR™ CARPET DRYER CLARKE

Ideal for drying carpets, hard floors, upholstery or wherever fast dry times are required. Works well in areas requiring added ventilation or for blowing up advertising balloons or inflatable playgrounds. The blower has three positions (0°, 45°, 90°), allowing you to control the direction of airflow where it's needed most. Powerful three speed motor produces desired air flow for application requirements. Convenient cord wrap eliminates cord tangle. Ergonomic handle design for easy transportation. 3000/2000/1300 cfm. 35' power cable (with grip). 1/2 hp thermally protected motor. Four-position switch. 10 5/8" H x 10 1/2" W fan. Stackable. One year parts and labor.

775225	04130D	18 1/2" L x 17" W x 16" H	1/ea.
--------	--------	---------------------------	-------

ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. FLEXAMATIC™ UPRIGHT VACUUM & ACCESSORIES WINDSOR INDUSTRIES

Powerful dual motor upright vacuum. Lightweight design with innovative, articulating head for superior maneuverability. Ergonomic carrying handle for easy transport. Patented filtration system, high efficiency to 0.3 microns. Air movement: 102 cfm. 92" waterlift. 70 dB. 40' power cable'

775567	FM12	12" Path, 3.5 L Dust Bag, 120V, 60 Hz	1/ea.
775578	FM15	15" Path, 3.5 L Dust Bag, 120V, 60 Hz	1/ea.

Beater Bar with Brush Strips

Fits Flexamatic® FM12 and Sensor® SR12, SRXP12, SRS12.

775560	5010WI		1/ea.
--------	--------	--	-------

Filter Bag

Flexamatic® filter bags.

775586	86284790		10/pkg.
--------	----------	--	---------



B. SENSOR XP® UPRIGHT VACUUM WINDSOR INDUSTRIES

Large 1.6 hp vacuum motor pulls even more dirt from the carpet. High efficiency filtration traps 99% of contaminants down to 0.3 microns for improved indoor air quality. Ultra-light handle weight increases operator comfort and productivity. On-board tools and extension wand make Sensor XP® the perfect detail cleaning machine. Injection molded, high-impact ABS plastic housing. Vacuum motor: two-stage, 1.6 hp, 1200 Watts. Suction power: 90" waterlift. Airflow: 105 CFM. Brush drive: Non-slip toothed belt, enclosed, electronic safety clutch and speed control. Brush speed: 2700 rpm. Brush servo motor automatically sets brush height, electronic sensor. Filtration: 99.97% at 0.3 microns. Power cable: 40' 18/3. 70 dBA. Tools: on-board crevice and upholstery tools, optional dusting brush and clip. Windsor three year protection plan.

775531	10120240	12" Path	1/ea.
775540	SRXP15	15" Path, 120V60	1/ea.
775554	SRXP18	18" Path, 120V60	1/ea.



C. SENSOR® S UPRIGHT VACUUM & DOUBLE ROW BRUSH WINDSOR INDUSTRIES

Large 1.6 hp vacuum motor pulls more dirt from the carpet. High efficiency filtration traps 99.6% of contaminants down to 0.3 microns for improved indoor air quality. Ultra-light handle weight increases operator comfort and productivity. On-board tools and extension wand. Vacuum motor: 2-stage, 1.6 hp, 1200W. Waterlift: 90". Airflow: 105 cfm. Brush speed: 2700 rpm. 40' cord, 69 dBA. Warranty: two year motor and belts, one year all other non-wear parts.

775525	SRS12	12" Path	1/ea.
--------	-------	----------	-------

Accessories for Sensor Vacuums

Fits Flexamatic® FM12 and Sensor® SR12, SRXP12, SRS12.

775560	5010WI	12" Beater Bar w/Brush Strips	1/ea.
773753	5300	Sensor Filter Bag	10/pkg.
049581	5301ER	Micro Air Filter	1/ea.



D. VERSAMATIC® PLUS UPRIGHT VACUUM WINDSOR INDUSTRIES

Powerful 1,000 watt motor picks up more dirt in a single pass. Pull-out wand with handle and on-board accessory tools increase efficiency of detail cleaning. Electronic control system maintains consistent motor speed and torque to eliminate premature brush, bearing and belt replacement. The large capacity, top-filling bag simply snaps into the Versamatic® Plus door without the operator kneeling or bending. Vacuum motor: 1000 Watt. 80" waterlift. Airflow: 105 CFM. Triple layer bag capacity 323 cu. in. 66.4 dBA. 40' power cable.

775596	VSP14	14" Path	1/ea.
039701	2003	Versamatic Filter Bags	10/pkg.



FLOOR CARE • Upright Vacuums



A

ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. CARPETMASTER 215 UPRIGHT VACUUM **CLARK**

Designed with the operator in mind, we focused on ergonomics, durability and reliability. Vacuum features a powerful dual motor, on-board crevice and upholstery tools, quiet operation, HEPA filtration, bag indicator light, and a light handle weight! The motor is also conveniently located at the base of the machine which results in a lighter handle weight.

775136	906040810	15" Path	1/ea.
--------	-----------	----------	-------



B

B. SANITAIRE® COMMERCIAL UPRIGHT VACUUM **ELECTROLUX**

High performance commercial upright. Deep-down cleaning action is possible with the spiral design of the exclusive Vibra Groomer II® brush roll. The Vibra Groomer II produces an effective wave action that vibrates deeply embedded dirt. Six carpet level adjustments. Wide protective vinyl bumper, large easy-roll rear wheels. Heavy-duty top fill shake-out cloth bag. 50' three-wire grounded cord. Chrome steel ball bearing brush roll with replaceable bristle strips. Lifetime lubricated. UL approved for commercial use. Meets OSHA specifications for commercial use. Manufacturer's one year parts/labor warranty.

773695	SC684	12" Path, 7AMP	1/ea.
--------	-------	----------------	-------

Designed with the exclusive Quick Kleen® feature that allows for easy access to the fan chamber. Six level carpet adjustments. Vibra Groomer II® chrome steel brush roll, large easy-roll wheels and chrome steel hood help to extend the life of the machine. Shake out dust bag system. Includes 50' power cord. 18 dry qt. dust capacity.

043900	SC886	12" Path, 7AMP	1/ea.
--------	-------	----------------	-------



C

C. SANITAIRE® LIGHTWEIGHT UPRIGHT VACUUM **ELECTROLUX**

Shake out dust bag. Easy to maneuver, weighing just over 12 lbs. Four position carpet height adjustment. Includes a 30' power cord. 18 dry qt. dust capacity. Use belt #52100A, brush roll #54104-1.

773691	SC679	12" Path, 5 amp, 5A	1/cs.
--------	-------	---------------------	-------

773714	F&G	Paper Filter Bags, Fits 679, 684, 886	3/pkg.
--------	-----	---------------------------------------	--------

036911	BLE3	Vacuum Belt, Fits Sanitaire Vacuum	1/ea.
--------	------	------------------------------------	-------



D

D. PROFORCE 1500XP UPRIGHT VACUUM **PRO-TEAM**

High performance dual-motor system maintains constant power flow to both the powerhead and the suction motor. Floating powerhead that automatically adjusts to different surface heights. Internal HEPA filter and organically treated Intercept Micro Filter that capture up to 99.97% of dust mites, pollen, viruses and bacteria. Electronic system performance indicator alerts the operator to a full filter, airflow restriction or jammed brush roll. Automatic shut-off switch if brush roll jams or micro filter is not in place. 50' power cord, 18 GA safety-yellow. Micro filter: 207 sq. in. Airflow: 96 CFM. Static lift: 72. 11A, 77 dB

773723	104301	16" Path (10 1/2' Hose), w/On-Board Tools	1/ea.
--------	--------	---	-------



E

E. SANITAIRE® COMMERCIAL HEPA UPRIGHT VACUUM

Bagless container with washable, sealed HEPA filtration. Brush view window alerts user when belt needs to be replaced. Headlight illuminates dark or hard to see areas. Wide air path reduces clogging. On-board accessories with 10' reach. Quiet, long-life commercial motor. UL approved for commercial use. Uses dust cup filter style DCF3 (61825).

773651	SC5845	15" Path, 10 amp	1/ea.
--------	--------	------------------	-------

Backpack & Wide Area Vacuums · FLOOR CARE

ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. VAC PAC BACK VACUUM & FILTER BAG **WINDSOR INDUSTRIES**

Lightweight and comfortable harness system makes the job easier. Power switch is mounted on the hip within easy view and reach of the operator. A kit of most-used tools comes standard with the machine. Quiet operation prevents disruptive cleaning. Tool kit included to further simplify any vacuuming job. 1.7 hp (1295 watts), flow through design with internal thermal protection with 104" (264 cm) waterlift and 112 cfm of airflow. Filter bag provides four layers of filtration for debris. Molded polyethylene housing.

775623	10140070	10 lbs., 6 qt., 1.7 HP	1/ea.
--------	----------	------------------------	-------

Filter Bag

Vac Pac filter bags.

775635	86198910	Vac Pac Filter Bags	10/pkg.
--------	----------	---------------------	---------



B. FILTRAPAC™ BACKPACK VACUUM **CLARKE**

Ergonomic pack frame provides added comfort and maneuverability for increased efficiency and productivity. On-board tool storage for quick and easy tool change. True 4-stage filtration system provides HEPA quality filtration at 0.3 micron at 99.79% efficiency. Vacuum motor: 1 hp, 2-stage. Air movement: 95 cfm, 68" waterlift. 40' power cable, 18 GA, 3-wire, 64" x 1 1/4" dia. hose.

775142	02150A	6.3 qt., 115V, 60 Hz, Standard Tool Set	1/ea.
--------	--------	---	-------



C. CHARIOT iVACUUM WIDE AREA VACUUM **WINDSOR INDUSTRIES**

The iVacuum Deluxe provides increased acoustical performance with the Muffle - Mizer. Designed to produce a dBA of 69 or less. The Chariot iVacuum Deluxe includes a standard side broom. The iVacuum's floating suspension system provides consistent brush contact over uneven surfaces for unmatched cleaning with no operator adjustment needed. The unique brush system features two counter-rotating cylindrical brushes to effectively clean and agitate the carpet surface. The vacuum system ensures top notch vacuuming performance and the wide 28" cleaning path gives maximum cleaning coverage in the minimal amount of time. With footprint smaller than walk-behind machines, the Chariot easily fits into busy environments without disrupting work flow. An ultra-light turning radius enables Chariot to turn around in five foot aisles with room to spare. Greater access in tight areas, increasing your floor cleaning coverage. Chariot's innovative step-up design combines the handling and maneuverability of a walk-behind with the speed of a ride-on. The Chariot allows for quick and easy battery changes.

775647	10125250	34" Path	1/ea.
--------	----------	----------	-------



APTgreen

D. NUWAVE WIDE AREA VACUUM **WINDSOR INDUSTRIES**

Dual, counter-rotating brushes agitate, lift and clean both sides of the carpet nap, removing 50% more soil on one pass. Floating brush deck maintains constant contact with carpet surface and requires no operator adjustment. Two proprietary designed 1.1 hp vacuum motors deliver higher air flow for deep carpet cleaning. Productivity of 11,000 ft. 2/hr. Extra large 10" non-marking rear wheels and two large 3" front casters deliver superior maneuverability, reducing operator fatigue. Multiple position soft grip handle is ergonomically designed to reduce skeletal and muscular strain on the operator. Easy-to-access accessory tool suction port. No-slip cord wrap design. Handle folds flat for compact storage. Easy bag removal, and 98% filtration bag improves air quality.



775611	10125330	115V, 60 Hz, 13 Amps	1/ea.
--------	----------	----------------------	-------

775600	86215090	Filter Bags	10/pkg.
--------	----------	-------------	---------



APTgreen

FLOOR CARE • Vacuum Accessories, Floor Sweepers, Entrance Matting



ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. FILTER BAGS CLARKE

Paper filter bags for FiltraVac and CombiVac.			
775134	50721B		10/pkg.
Paper bags for S12PF.			
775113	660638		3/pkg.

B. VACUUM FILTERS PRO-TEAM

Micro Filter Vac Bag			
Pack of 10 for CoachVac™, Super CoachVac™ and Mega Vac vacuums.			
773719	100331	10 qt. Micro Filter	10/pkg.
ProForce 1500XP Micro Filter Bag			
Disposable intercept micro filter bags for ProForce vacuum.			
773726	103483		10/pkg.

C. FLOOR/CARPET SWEEPER RUBBERMAID

Smaller size gets into tight spots. Easy-open debris pan for effortless cleaning. Constructed of durable galvanized steel and tough ABS plastic. Ideal for bare floors or low pile carpets.			
516050	421288	6 1/2" Path, Black	1/ea.

D. RADIUS™ MINI SWEEPER WINDSOR INDUSTRIES

Cordless electric sweeper designed for commercial applications. Powerful, rechargeable nicad battery pack provides for up to 45 minutes of operation on hard surface and 30 minutes on carpet. Extremely quiet operation.			
775676	15451130	12" Path, 56 dBA	1/ea.

E. NOMAD™ CARPET MATTING 6500 3M

Entrance carpet matting designed for medium traffic applications. The dual fiber construction traps, holds and hides moisture and dirt. Medium traffic - up to 400,000 people per year.			
519701	04801113528	4' x 6', Slate	1/ea.

F. NOMAD™ SCRAPER MATTING 8100 3M

Entrance coiled vinyl scraper matting designed for heavy traffic applications. The construction allows dirt and moisture to flow through the matting and not be retracted back into the building. Grease and oil resistant. Heavy traffic - up to 1,000,000 people per year.			
041999	04801126515	4' x 6', Slate	1/ea.

G. SUPERSCRAPET™ ENTRANCE MAT ANDERSEN CO.

Effectively scrapes tough dirt and grime off feet. Durable nitrile-rubber mat provides slip-resistant surface. Ideal for kitchens, locker rooms, slippery inclines, restaurants, production areas and outside entrances. Standard sizes: 2 1/2' x 3', 3' x 5', 3' x 10', 4' x 6', 4' x 8', 6' x 6', 6' x 8'. Black.			
450		Entrance Mat	1/ea.

H. WATERHOG™ CLASSIC ENTRANCE MAT ANDERSEN CO.

Unique ridged construction effectively removes and traps dirt and moisture. Exclusive rubber-reinforced face nubs prevent pile from crushing. Anti-static 100% premium polypropylene. Fabric dries quickly; won't fade or rot. Can easily be vacuumed or hosed out. Backing is 100% SBR rubber. Available in smooth or cleated types. Exclusive water dam allows the mat to hold up to 1 1/2 gallons of water per square yard; water and dirt stay in the mat. Colors: Medium Brown (151), Dark Brown (152), Light Green (153), Charcoal (154), Red/Black (155), Medium Blue (156), Medium Grey (157), Bluestone (158), Evergreen (159), Bordeaux (160), Navy (161), White (162), Aquamarine (163), Gold (164), Solid Red (165), Yellow (166), Orange (167), Purple (168). Standard sizes: 18" x 28", 2' x 3', 3' x 8', 3' x 4', 3' x 5', 4' x 8', 3' x 10', 4' x 6', 6' x 16', 4' x 10', 3' x 12', 3' x 16', 3' x 20', 4' x 12', 4' x 16', 4' x 20', 6' x 8', 6' x 12', 6' x 20'.			
200		Entrance Mat	1/ea.

Entrance & Anti-Fatigue Matting · FLOOR CARE

ITEM	MFG. NO.	DESCRIPTION	PACK
------	----------	-------------	------

A. WATERHOG™ ECO GRAND PREMIERE ENTRANCE MAT **ANDERSEN CO.**

Exceptional performance and beauty. Combines all of the performance of our Waterhog™ Premier mat with an innovative rubber-reinforced face design for added beauty and an attractive look that's easy to maintain. The face design can be configured three different ways—a half oval pattern, a rectangle with the half oval on one end, and a rectangle with half an oval on each end. Contains 20% recycled rubber content. Certified slip-resistant by the National Floor Safety Institute. Colors: Black Smoke, Gray Ash, Khaki, Indigo, Maroon, Regal Red, Southern Pine, Chestnut Brown.

2248	Entrance Mat	1/ea.
------	--------------	-------

B. CLASSIC IMPRESSIONS™ LOGO MAT **ANDERSEN CO.**

Classic Impressions logo mats are manufactured using our state-of-the-art digital printer. We start with a white 100% static dissipative nylon carpet and digitally dye your choice of 24 standard colors or your special PMS colors into the carpet. With this manufacturing process "Phase-in" colors and shaded areas are possible helping to create 3-D designs. Designs with intricate details or small letters are possible with Classic Impressions with 100% premium rubber backing. Available in smooth and cleated backing types.

75	Logo Mat	1/ea.
----	----------	-------

C. DIAMOND PLATE SPONGECOTE ANTI-FATIGUE MAT **WEARWELL**

Diamond-Plate SpongeCote is the most popular anti fatigue mat and matting in the industry because no other offers such a complete package of exceptional comfort, long life and a high-tech, industrial image. Its exceptionally resilient Nitricell sponge base defines the mat by providing true comfort, enhancing productivity, and reviving morale all while relieving fatigue throughout the day. Diamond-Plate's safety-engineered surface adds traction and durability to the mat, and lends itself to heavily trafficked areas. Colors: Black, Black with Yellow Borders, Black with Chevron Borders, Gray. 9/16" thick.

415	Anti-Fatigue Mat	1/ea.
-----	------------------	-------

D. TUF SPONGE ANTI-FATIGUE MAT **WEARWELL**

Tuf Sponge is the best choice for practical and economical comfort. This blown-vinyl sponge is ergonomically designed to reduce floor hardness by up to 50%. A very versatile choice. Colors: Black, Black with Yellow Borders, Gray. 3/8" or 1/4" thick.

451	Anti-Fatigue Mat	1/ea.
-----	------------------	-------

E. WORKRITE ANTI-FATIGUE MAT **WEARWELL**

WorkRite's natural rubber compound and versatile, flow-through design combine to create an extremely popular all-purpose mat. An economical choice for comfort and safety, WorkRite accommodates spills and debris keeping employees safe and dry. Its lightweight form and molded beveled edging for cart access make WorkRite a popular anti-fatigue mat for industrial and commercial areas. Black. Sizes: 3' x 5', 3' x 10', 3' x 20'. 1/2" thick.

474	Anti-Fatigue Mat	1/ea.
-----	------------------	-------

